


Natural Molecule to Boost the Performance of Electrodes for Rechargeable Batteries

Lab tests show that a novel material based on the organic porphyrin molecule allows to charge batteries within one single minute



The porphyrin molecule – used in electrodes – speeds up the charging process of batteries in the lab. (Source: KIT/HIU)

Chlorophyll, blood, and vitamin B12 are all based on the porphyrin molecule. But porphyrin can also be used as an electrode material where it speeds up the charging process of rechargeable batteries. In the “Angewandte Chemie International Edition” journal, researchers from KIT now present the new material system that could mark the beginning of an era of high-performance energy storage and supercapacitors.

Currently, the most widely used battery technology is based on lithium ions. No other rechargeable storage device for electric energy has comparable application properties. Thus, lithium ion batteries are currently indispensable for devices such as laptops, smartphones, or cameras, even though improved properties such as quick-charging would be desirable. Many materials that improve the properties of lithium ion batteries in the lab, however, are no sustainable options because they are rare, expensive, toxic or harmful to the environment. Ideally, high-performance energy storage materials would be based on renewable resources.



KIT Energy Center: Having future in mind

Monika Landgraf
Chief Press Officer
Head of Corp. Communications

Kaiserstraße 12
76131 Karlsruhe, Germany
Phone: +49 721 608-47414
Fax: +49 721 608-43658
E-mail: presse@kit.edu

**For further information,
please contact:**

Kosta Schinarakis
Science Scout
Phone: +49 721 608 41956
Fax: +49 721 608 43658
E-mail: schinarakis@kit.edu

Anna Sebastian, HIU
Public Relations
Phone: +49 731 50 34013
E-mail: anna.sebastian@kit.edu

An interdisciplinary research group headed by Professor Maximilian Fichtner of Helmholtz Institute Ulm, founded and organized by KIT, and Professor Mario Ruben from the KIT Institute of Nanotechnology, now presents a new energy storage material that allows a very fast and reversible inclusion of lithium ions. For this purpose, functional groups were added to the organic copper porphyrin molecule that produce structural and electro-conductive crosslinking of the material when the battery cell is charged for the first time. This significantly stabilizes the structure of the electrode in lab tests and allows several thousands of charge-discharge cycles.

With this material, storage capacities of 130-170 milliamp-hours per gram (mAh/g) were measured in the lab – at a medium voltage of 3 Volt – and charging-discharging times of only one minute. Current experiments suggest that the storage capacity can be increased by another 100 mAh/g and that the storage system can be operated not only with lithium, but also with the much more abundant sodium.

“Porphyrins occur very often in nature and are the basic constituents of chlorophyll, of human and animal blood pigment (hemoglobin), and of vitamin B12,” Fichtner explains. Technical variants of these materials are already in use, e.g. for blue-colored toner in laser printers or for car paint. By bonding functional groups to porphyrin, the scientists succeeded to leverage its specific properties in electrochemical electric storage systems for the first time. “The storage properties are exceptional because the material has the storage capacity of a battery, but works as fast as a supercapacitor,” Fichtner says.

P. Gao, Z. Chen, Zh. Zhao-Karger, J.E. Mueller, Ch. Jung, S. Klyatskaya, T. Diemant, O. Fuhr, T. Jacob, J. Behm, M. Ruben, M. Fichtner, Porphyrin complex as self-conditioned electrode material for high performance energy storage, Angew. Chemie Int. Ed. (2017) doi:10.1002/ange.201702805

About the Helmholtz Institute Ulm (HIU) of KIT

The HIU was established in January 2011 by KIT, member of the Helmholtz Association, in cooperation with Ulm University. With the German Aerospace Center (DLR) and the Center for Solar Energy and Hydrogen Research Baden-Württemberg (ZSW), two other renowned institutions are involved in the HIU as associated partners. The international team of about 110 scientists at HIU works on the further development of the fundamentals of viable energy storage systems for stationary and mobile use.

Find more information on the HIU here:
<http://www.hiu-batteries.de>

More about the KIT Energy Center: <http://www.energie.kit.edu>

Karlsruhe Institute of Technology (KIT) pools its three core tasks of research, higher education, and innovation in a mission. With about 9,300 employees and 25,000 students, KIT is one of the big institutions of research and higher education in natural sciences and engineering in Europe.

KIT – The Research University in the Helmholtz Association

Since 2010, the KIT has been certified as a family-friendly university.

This press release is available on the internet at www.kit.edu

The photo may be downloaded under www.kit.edu or requested by mail to presse@kit.edu or phone +49 721 608-4 7414. The photo may be used in the context given above exclusively.